



SAFETY SIGN CATALOGUE

.....>>>>>>

CONTENTS

	PAGE
[01] Access – No Entry	02
[02] Danger Signs	03
[03] Electrical Hazard	09
[04] Fire and Emergency	12
[05] Safety and Personal Protection	14
[06] Safety Signs	16
[07] Self Adhesive Stickers	17
[08] General Information	18
[09] General Notices	19
[10] Identification of Symbolic Signs	20

[01] Access – No Entry

.....>>>>>>



GN2a 150 X 200
GN2b 300 X 400



GN3a 150 X 200
GN3b 300 X 400



GN5a 150 X 200
GN5b 300 X 400



GN6a 150 X 200
GN6b 300 X 400



GN7a 150 X 200
GN7b 300 X 400



GN8a 150 X 150
GN8b 300 X 300




GN9a 150 X 150
GN9b 300 X 300



GN16 800 X 600



GN17a 150 X 200
GN17b 300 X 400



GN10a 305 X 455mm
GN10b 215 X 405mm



GN11 305 X 405mm



GN12 215 X 405mm



GN18a 150 X 200
GN18b 300 X 400




GN13 255 X 405mm



GN14 125 X 445mm



GN4a 150 X 200
GN4b 300 X 400



GN15 150 X 500

>>>>>>

<<<<<<

[□ ≥] Danger Signs

.....>>>>>>



GD16a 150 X 200
GD16b 300 X 400



GD17a 150 X 200
GD17b 300 X 400



GD18a 150 X 200
GD18b 300 X 400



GD19a 150 X 200
GD19b 300 X 400



GD20a 150 X 200
GD20b 300 X 400



GD21a 150 X 200
GD21b 300 X 400



GD25a 150 X 200
GD25b 300 X 400



GD26a 150 X 200
GD26b 300 X 400



GD27a 150 X 200
GD27b 300 X 400



GD28a 150 X 200
GD28b 300 X 400



GD34a 150 X 200
GD34b 300 X 400



GD29a 150 X 200
GD29b 300 X 400



GD35a 150 X 200
GD35b 300 X 400



GD36a 150 X 200
GD36b 300 X 400



GD37a 150 X 200
GD37b 300 X 400



GD38a 150 X 200
GD38b 300 X 400



GD39a 150 X 200
GD39b 300 X 400



GD40a 150 X 200
GD40b 300 X 400

Please specify chemical
name when ordering.



GD33a 150 X 150
GD33b 300 X 300



GD41a 150 X 150
GD41b 300 X 300



GD42a 150 X 150
GD42b 300 X 300



GD42a 150 X 150
GD42b 300 X 300



GD66a 150 X 150
GD66b 300 X 300



GD22a 150 X 150
GD22b 300 X 300



GD23a 150 X 150
GD23b 300 X 300



GD24a 150 X 150
GD24b 300 X 300



GD30a 150 X 150
GD30b 300 X 300



GD31a 150 X 150
GD31b 300 X 300



GD32a 150 X 150
GD32b 300 X 300



GD34a 150 X 200
GD34b 300 X 400



GD35a 150 X 200
GD35b 300 X 400



GD36a 150 X 200
GD36b 300 X 400



GD37a 150 X 200
GD37b 300 X 400



GD37a 150 X 200
GD37b 300 X 400



GD38a 150 X 200
GD38b 300 X 400



GD39a 150 X 200
GD39b 300 X 400



GD40a 150 X 200
GD40b 300 X 400



GD43a 150 X 200
GD43b 300 X 400



GD44a 150 X 200
GD44b 300 X 400



GD45a 150 X 200
GD45b 300 X 400



GD46a 150 X 200
GD46b 300 X 400



GD47a 150 X 200
GD47b 300 X 400



GD48a 150 X 200
GD48b 300 X 400



GD49a 150 X 200
GD49b 300 X 400



GD52a 150 X 200
GD52b 300 X 400



GD53a 150 X 200
GD53b 300 X 400



GD54a 150 X 200
GD54b 300 X 400



GD55a 150 X 200
GD55b 300 X 400



GD50a 150 X 150
GD50b 300 X 300



GD51a 150 X 150
GD51b 300 X 300



GD60a 150 X 150
GD60b 300 X 300



GD64a 150 X 150
GD64b 300 X 300



GD65a 150 X 150
GD65b 300 X 300





GD56a 150 X 150
GD56b 300 X 300



GD57a 150 X 150
GD57b 300 X 300



GD58a 150 X 150
GD58b 300 X 300



GD59a 150 X 150
GD59b 300 X 300



GD61a 150 X 200
GD61b 300 X 400



GD62a 150 X 200
GD62b 300 X 400



GD63a 150 X 200
GD63b 300 X 400



GD10 450 X 300mm



GD11 450 X 300mm



GD12 450 X 300



GD10 450 X 300mm



GD11 450 X 300mm



GD12 450 X 300



GD14 450 X 300



GD15 450 X 300



GD13 450 X 300



GD1 255 X 355mm



GD2 230 X 305mm



GD5 355 X 455mm



GD6 190 X 245mm



GD7 265 X 455mm



GD8 370 X 520mm



GD3 100 X 380mm



GD4a 50 X 305mm
GD4b 50 X 230mm



GF10a 150 X 150
GF10b 300 X 300



GF11a 150 X 150
GF11b 300 X 300



GF12a 150 X 150
GF12b 300 X 300



GF13a 150 X 150
GF13b 300 X 300



GF8a 255 X 255mm



GF8b 255 X 255mm



GF8b 255 X 255mm



GF14a 150 X 150
GF14b 300 X 300



GF15a 150 X 150
GF15b 300 X 300



GF6 305 X 510mm



GF7 205 X 355mm



GF9a 115 X 510mm
GF9b 125 X 380mm
GF9c 75 X 255mm

>>>>>

<<<<<

[□] Electrical Hazard

.....>>>>>



GE16a 150 X 200
GE16b 300 X 400



GE17a 150 X 200
GE17b 300 X 400



GE18a 150 X 200
GE18b 300 X 400



GE19a 150 X 200
GE19b 300 X 400



GE22a 150 X 200 GE23a 150 X 200 GE24a 150 X 200 GE25a 150 X 200 GE26a 150 X 200
 GE22b 300 X 400 GE23b 300 X 400 GE24b 300 X 400 GE25b 300 X 400 GE26b 300 X 400



GE28a 150 X 200 GE20a 150 X 200 GE21a 150 X 200 GE27a 150 X 200
 GE28b 300 X 400 GE20b 300 X 400 GE21b 300 X 400 GE27b 300 X 400



GE29a 150 X 150 GE30a 150 X 150
 GE29b 300 X 300 GE30b 300 X 300



GE1a 355mm x 455mm
 GE1b 305mm x 355mm
 GE1c 125mm x 230mm



GE2 230 X 305mm



GE3 200 X 330mm



GE7 100 X 150mm

Please specify VOLTAGE required when ordering signs.

Standard voltages are:—
 250 VOLTS
 350 VOLTS
 550 VOLTS
 3300 VOLTS OR 3.3KV
 11000 VOLTS OR 11KV



GE4 305 X 380mm



GE5a 305 X 380mm
GE5b 230 X 305mm



GE6 230 X 305mm



GE9 140 X 305mm



GE10 100 X 205mm



GE12 165 X 265mm



GE13 205 X 205mm



GE14 230 X 230mm



GE15 280 X 230mm




GE11 240 X 405mm



GE8 355 X 455mm

[4] Fire and Emergency

.....>>>>>>



GF26a

GF26b

GF26c

GF26d

GF26e

ALL 90 X 320mm



GF4 100mm x 300mm
GF4 200mm x 600mm



GF4 100mm x 300mm
GF4 200mm x 600mm



GF4 140mm x 300mm
GF4 280mm x 600mm

**NO SMOKING
CHARGED UP
AREA**

GF4 380mm x 230mm



GF18a 100 X 300mm
GF18b 200 X 600mm



GF19a 100 X 300mm
GF19b 200 X 600mm



GF20a



GF20b

70 X 120mm



GF22a 200 X 300mm
GF22b 400 X 600mm



GF23a
GF23b



GF24a
GF24b

**IN THE EVENT OF FIRE USE
THE FIRE EXTINGUISHER NEARBY
DO NOT USE WATER
NOTIFY NEAREST OFFICIAL**

GF2 405 X 205mm

**WARNING
EXPLOSIVES BOXES
NO
SMOKING**

GF5 455 X 355mm

**DANGER
CHARGED UP AREA
NO SMOKING**

GF3 610 X 230mm

**DANGER
DISUSED STATION
NO SMOKING**

**NO SMOKING BEYOND THIS POINT
CIGARETTE LIGHTERS AND MATCHES MUST BE
DEPOSITED AT SECURITY OFFICE BEFORE
ENTRY.**

DRIVERS' ACTION ON HEARING FIRE ALARM

1. STOP LOADING CLOSE VALVE
AND REMOVE LOADING ARM.
2. CLOSE MAN LID DESCEND
FROM GANTRY DO NOT
START ENGINE
3. STAND BY VEHICLE AND
WAIT FOR INSTRUCTIONS
FROM THE SUPERVISOR.

ELECTRICAL SUB-STATIONS PROCEDURE IN CASE OF FIRES

NO1 ONLY APPLIES TO OPERATING STAFF
IMMEDIATELY NOTIFY THE SHIFT ELECTRICIAN
THE RESPONSIBLE PERSON (FOREMAN OR SHIFT
ELECTRICIAN) MUST SATISFY HIMSELF THAT THE
POWER HAS BEEN CUT OFF AND THEN IMMEDIATELY
PUT INTO USE THE CO2 FIRE EXTINGUISHERS.

WATER MUST NEVER BE USED

SHOULD ONE EXTINGUISHER NOT QUENCH THE FIRE
COMPLETELY OTHERS MUST BE TAKEN FROM THE
OTHER SUB-STATIONS. THE POWER MUST NOT BE
PUT ON UNTIL AUTHORITY TO DO SO HAS BEEN
GIVEN BY THE FOREMAN ELECTRICIAN

ELECTRICAL SUB-STATIONS PROCEDURE IN CASE OF FIRES

NO1 ONLY APPLIES TO OPERATING STAFF
IMMEDIATELY NOTIFY THE SHIFT ELECTRICIAN
THE RESPONSIBLE PERSON (FOREMAN OR SHIFT
ELECTRICIAN) MUST SATISFY HIMSELF THAT THE
POWER HAS BEEN CUT OFF AND THEN IMMEDIATELY
PUT INTO USE THE CO2 FIRE EXTINGUISHERS.

WATER MUST NEVER BE USED

SHOULD ONE EXTINGUISHER NOT QUENCH THE FIRE
COMPLETELY OTHERS MUST BE TAKEN FROM THE
OTHER SUB-STATIONS. THE POWER MUST NOT BE
PUT ON UNTIL AUTHORITY TO DO SO HAS BEEN
GIVEN BY THE FOREMAN ELECTRICIAN

GF4 560mm x 455mm

ELECTRICAL SUB-STATIONS PROCEDURE IN CASE OF FIRES

NO1 ONLY APPLIES TO OPERATING STAFF
IMMEDIATELY NOTIFY THE SHIFT ELECTRICIAN
THE RESPONSIBLE PERSON (FOREMAN OR SHIFT
ELECTRICIAN) MUST SATISFY HIMSELF THAT THE
POWER HAS BEEN CUT OFF AND THEN IMMEDIATELY
PUT INTO USE THE CO2 FIRE EXTINGUISHERS.

WATER MUST NEVER BE USED

SHOULD ONE EXTINGUISHER NOT QUENCH THE FIRE
COMPLETELY OTHERS MUST BE TAKEN FROM THE
OTHER SUB-STATIONS. THE POWER MUST NOT BE
PUT ON UNTIL AUTHORITY TO DO SO HAS BEEN
GIVEN BY THE FOREMAN ELECTRICIAN

GF1a 560 X 455mm

GF1b 1015 X 685mm

ELECTRICAL SUB-STATIONS PROCEDURE IN CASE OF FIRES

NO1 ONLY APPLIES TO OPERATING STAFF
IMMEDIATELY NOTIFY THE SHIFT ELECTRICIAN
THE RESPONSIBLE PERSON (FOREMAN OR SHIFT
ELECTRICIAN) MUST SATISFY HIMSELF THAT THE
POWER HAS BEEN CUT OFF AND THEN IMMEDIATELY
PUT INTO USE THE CO2 FIRE EXTINGUISHERS.

WATER MUST NEVER BE USED

SHOULD ONE EXTINGUISHER NOT QUENCH THE FIRE
COMPLETELY OTHERS MUST BE TAKEN FROM THE
OTHER SUB-STATIONS. THE POWER MUST NOT BE
PUT ON UNTIL AUTHORITY TO DO SO HAS BEEN
GIVEN BY THE FOREMAN ELECTRICIAN

GF1c 560 X 455mm

»»»»»

«««««

[□ □] Safety and Personal Protection

.....»»»»»



GP18 300 X 200



GP19 300 X 200



GP20 300 X 200



GP21 300 X 200



GP21 300 X 200



GP22 300 X 200



GP23 300 X 200



GP28 200 X 300



GP29 200 X 300



GP24 300 X 200



GP25 300 X 200



GP26 300 X 200



GP27 300 X 200

[□ □] Safety Signs

.....>>>>>>



GP14a 150 X 150
GP14b 300 X 300



GP15a 150 X 150
GP15b 300 X 300



GP16 300 X 450



Self standing temporary signs on Coroplast material
GP17 450 X 600



GP1a 150 X 200
GP1b 300 X 400



GP2a 150 X 200
GP2b 300 X 400



GP3a 150 X 200
GP3b 300 X 400



GP7a 150 X 200
GP7b 300 X 400



GP8a 150 X 200
GP8b 300 X 400



GP9a 150 X 200
GP9b 300 X 400



GP10a 150 X 200
GP10b 300 X 400



GP11a 150 X 200
GP11b 300 X 400



GP12a 150 X 200
GP12b 300 X 400



GP13a 150 X 150
GP13b 300 X 300



GP13a 150 X 150
GP13b 300 X 300



GP13a 150 X 150
GP13b 300 X 300



GP4a 150 X 150
GP4b 300 X 300



GP5a 150 X 150
GP5b 300 X 300



GP6a 150 X 150
GP6b 300 X 300



GP13a 150 X 150
GP13b 300 X 300

[□ 7] Self Adhesive Stickers

.>>>>>>

**DRIVER INSTRUCTED TO STOP
AT RAILWAY LEVEL CROSSINGS**

GST1 200 X 1200



GST2 40 X 180



GST6 70 X 150



GST4 90 X 300

DRIVERS TO CHECK DAILY

1. RADIATOR COOLANT WHEN COLD
2. ENGINE OIL
3. BATTERY ELECTROLYTE
4. ALL GAUGES AND INSTRUMENTS
5. CLUTCH AND BRAKE FLUID
6. CONDITIONS OF TYRES AND PRESSURES
7. FUNCTIONS OF FOOT AND HAND BRAKES
8. INDICATORS, BEAM AND STOP LIGHTS
9. WIPERS
10. WALK AROUND, INSPECT FOR DENTS ETS.
11. DO NOT DRIVE A VEHICLE WITHOUT SPARE WHEEL, JACK AND SPANNER

PLEASE REPORT DEFECTS.

GST5 90 X 110

THE DRIVER OF THIS VEHICLE IS NOT AUTHORISED
TO CARRY ANY PASSENGERS OTHER THAN EMPLOYEES
OR AGENTS OF THIS COMPANY ON LEGITIMATE BUSINESS.
PASSENGERS BEING TRANSPORTED ON THIS VEHICLE
DO SO AT THEIR OWN RISK.

GST3 55 X 230



220 x 650mm



220 x 650mm

HAZCHEM SET



HAZCHEM STICKER



NO SMOKING



NO NAKED FLAMES

»»»»»

«««««

[□ ▢] General Information

.....»»»»»



G11a 150 x 150
G11b 300 x 300




G12a 150 x 150
G12b 300 x 300



G13a 150 x 150
G13b 300 x 300



G14a 150 x 150
G14b 300 x 300



G15a 150 x 150
G15b 300 x 300



G16a 150 x 150
G16b 300 x 300



G17a 150 x 150
G17b 300 x 300



G19a 150 x 150
G19b 300 x 300



G10a 150 x 150
G10b 300 x 300



G12a 150 x 150
G12b 300 x 300



G13a 150 x 150
G13b 300 x 300



G14a 150 x 150
G14b 300 x 300



G18a 150 x 150
G18b 300 x 300



G15a 150 x 150
G15b 300 x 300



G11a 150 x 150
G11b 300 x 300




>>>>>


<<<<<

[□ □] General Notices


.>>>>>




GB1 865 X 485mm




GB2 400mm X 400mm




GB5 865mm X 485mm



GB 455mm X 240mm



GB3 585 X 305mm



GB6 610 X 33mm

THERE ARE 6 ELEMENTS THAT SHOULD BE ENTIRELY CLEAR AND UNDERSTOOD IN EVERY INSTRUCTION:

1. WHAT IS TO BE DONE
2. WHO IS TO DO IT.
3. WHERE IT IS TO BE DONE.
4. WHEN IT IS TO BE DONE.
5. WHY IT IS TO BE DONE.
6. HOW IT IS TO BE DONE.

THESE ARE THE MOST IMPORTANT JOB ELEMENTS.

KEEP
PATHWAYS
CLEAN
AT ALL TIMES

CANT SPELL
QUALITY
WITHOUT YOU

>>>>>>

<<<<<<

[1 □] Identification of Symbolic Signs

.>>>>>>



FIRE



TRIP



EYE
PROTECTION



FIRST
AID

